

## Electronic housing - ME 22,5 UTG TBUS GN - 2707408

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Lower part of housing without vents, design width 22.5 mm, fully assembled, without bus connector

### Product Features

- ✓ ME...TBUS connector with 5 parallel contacts can be snapped onto DIN rails to save space
- ✓ Gold contacts for data transmission and power supply (125 V, 8 A)
- ✓ When a device is unplugged from the system as a whole, the signal chain is not interrupted# Supply via standard MINI COMBICON plug



### Key commercial data

Packing unit	1 1
Weight per Piece (excluding packing)	48.27 GRM
Custom tariff number	85472000
Country of origin	Germany

### Technical data

Product type	Component housing lower part
Approval	UL Recognized
Width	22.5 mm
Height	114.5 mm
Depth	99 mm
Color	green (6021)
No. of pos. for cross connection	5
Type of cross connection	DIN rail bus connector
Functional earth ground contact	without

# Electronic housing - ME 22,5 UTG TBUS GN - 2707408

## Classifications

### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702

### ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

Approvals

UL Recognized

---

Ex Approvals

---


Approvals submitted

---

Approval details

## Electronic housing - ME 22,5 UTG TBUS GN - 2707408

### Approvals

UL Recognized 

### Accessories

#### Accessories

#### Coding element

Coding star - CR-MSTB - 1734401



Coding section, inserted into the recess in the header or the inverted plug, red insulating material

Coding profile - CP-MSTB - 1734634



Coding profile, is inserted into the slot on the plug or inverted header, red insulating material

#### Filler plug

Electronic housing - ME B-22,5 MKDSO GN - 2907143



Filler plugs, for unoccupied terminal points

Electronic housing - ME B-22,5 MSTBO GN - 2907156



Filler plugs, for unoccupied terminal points

## Electronic housing - ME 22,5 UTG TBUS GN - 2707408

### Accessories

Electronic housing - ME B-12,5 3MSTBO GN - 2709176



Filler plugs, for unoccupied terminal points

---

### Mounting material

Components of electronic housing - ME-SAS - 2853899



Shield connection clamp for printed circuit terminal block

---

Electronic housing - ME LPZS - 2906911




PCB stop, for soldering onto PCB

---


### Drawings

Dimensioned drawing



Dimensions of the electronic housing  
ME...TBUS... with single-level upper part


Dimensioned drawing



Dimensions of the electronic housing  
ME...TBUS... with double-level upper part


# Electronic housing - ME 22,5 UTG TBUS GN - 2707408

Dimensioned drawing




Dimensions of the electronic housing ME...TBUS... with triple-level upper part

Dimensioned drawing




Dimensions of the electronic housing ME...TBUS... with double-level upper part

Dimensioned drawing



Internal housing dimensions, electronics housing ME 22.5 TBUS...


Dimensioned drawing



Detailed dimensional drawing of the DIN rail connector contact pads


# Electronic housing - ME 22,5 UTG TBUS GN - 2707408

Dimensioned drawing



Dimensional drawing of the ME.../TBUS printed circuit board if the single level upper part is used


Dimensioned drawing



Dimensional drawing of the ME.../TBUS printed circuit board if the double level upper part is used

# Electronic housing - ME 22,5 UTG TBUS GN - 2707408

Dimensioned drawing



Dimensional drawing of the ME.../TBUS... printed circuit board if the triple-level upper part is used