

Specification Sheet

Part Number: 156-00444



Arrowhead Push Mount Tie with Seal, 8.5" Long, 50lb, Bundle Max 2.0", PA66HIRHS, Natural, 500/bag

Article Number	156-00444
Type	T50ROSAH6MDU
Color	Natural (NA)
Features & Benefits	<ul style="list-style-type: none">•An all-in-one bundling and fastening solution that saves time and reduces costs.•Foam seal prevents ingress of moisture and debris and prevents vibration.
Quantity Per	bag
Product Description	The arrowhead design of these ties offers a low insertion force and a high extraction force. The foam rubber seal provides additional protection against moisture and debris. One-piece mounting ties offer a complete solution by simultaneously bundling and mounting cables, wires and hoses.
Short Description	Arrowhead Push Mount Tie with Seal, 8.5" Long, 50lb, Bundle Max 2.0", PA66HIRHS, Natural, 500/bag

Global Part Name

T50ROSAH6MDU-PA66HIRHS-NA

Minimum Tensile Strength (Imperial)

50.0

Minimum Tensile Strength (Metric)

225

Length L (Imperial)

8.5

Length L (Metric)

216.0

Fixation Method

Arrowhead

Identification Plate Position

none

Tie Closure

plastic pawl

Variant

Outside Serrated

Width W (Imperial)

0.2

Width W (Metric)

5.0

Bundle Diameter Min (Imperial)

0.06

Bundle Diameter Min (Metric)

1.6

Bundle Diameter Max (Imperial)

2.0

Bundle Diameter Max (Metric)

50.0

Panel Thickness Min(Imperial)

0.03

Panel Thickness Max(Imperial)

0.08

Panel Thickness Min (Metric)	0.8
Panel Thickness Max (Metric)	2.1
Mounting Hole Diameter D (Imperial)	0.248 - 0.252
Mounting Hole Diameter D (Metric)	6.2 - 6.6 mm
Mounting Hole Diameter D Min (Imperial)	0.248
Mounting Hole Diameter D Max (Imperial)	0.252
Mounting Hole Diameter D Max (Metric)	6.6
Disc Diameter(Metric)	16.0
Disc Diameter (Imperial)	0.63
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +230°F (-40°C to +110°C)
ROHS Complaint	Yes
Package Quantity(Imperial)	500

Package Quantity (Metric)

500

Customs Number

3926909987