

RAD-CAB-EF142-3M


Order No.: 2884512



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2884512>

Antenna cable, 3 m in length; SMA (male) -> SMA (male), attenuation approx. 0.93 dB at 2.4 GHz; impedance 50 ohms

Commercial data

GTIN (EAN)	 4 046356 114233
sales group	L084
Pack	1 pcs.
Customs tariff	85442000
Catalog page information	Page 222 (AX-2009)

Product notes

WEEE/RoHS-compliant since:
03/22/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Cable type

Cable type	EF 142
Cable, attenuation	Approx. 0.93 dB/m

External sheath

Outer sheath, material	Radox (LSFH)
------------------------	--------------

External diameter	5 mm
Mechanical properties	
Bending radius, long-term	30 mm
Ambient temperature (operation)	-40 °C ... 105 °C
Ambient temperature (storage/transport)	-40 °C ... 105 °C
General data	
Impedance	50 Ω
Type of connection	SMA (male)

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;