



Thermofit[®] Molded Parts
 Specification Control Drawing
 Limited Distribution

Part Number : 301A512-XX-12
 Description : Slimline Transition, "T"

NOTES

- All dimensions are in $\frac{\text{inches}}{[\text{millimeters}]}$
- Dimensions appearing in table are as follows:
 a - As Supplied
 b - After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.



PART NUMBER	H		J & K		W	P	S
	Min	Max	Min	Max			
	a	b	a	b	Nom	Max	Max
301A512-XX-12	$\frac{1.95}{[49,5]}$	$\frac{.45}{[11,4]}$	$\frac{1.35}{[34,3]}$	$\frac{.45}{[11,4]}$	$\frac{.05}{[1,3]}$	$\frac{2.25}{[57,1]}$	$\frac{1.40}{[35,6]}$

Raychem

RAYCHEM CORPORATION
 300 CONSTITUTION DRIVE
 MENLO PARK, CALIFORNIA 94025
 (415) 361-6055

Revision : A
 Date : 05/30/91


Part Number : 301A512-XX-12
 Description : Slimline Transition, "T"

Thermofit[®] Molded Parts
 Specification Control Drawing
 Limited Distribution

Part Number : 301A512-XX-12
 Description : Slimline Transition, "T"

COMPATABILITY CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-50	Flexible VPB	RT-1313			

ORDERING INFORMATION



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

If this document is printed it becomes uncontrolled.
 Check for the latest revision.

Raychem

RAYCHEM CORPORATION
 300 CONSTITUTION DRIVE
 MENLO PARK, CALIFORNIA 94025
 (415) 361-6055

Revision : A
 Date : 05/30/91

Part Number : 301A512-XX-12
 Description : Slimline Transition, "T"