

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [62203-0360](#)  
**Status:** **Active**  
**Description:** Backplane Press-In Tool

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)


**General**

|                                |  |
|--------------------------------|--|
| Product Family                 | Application Tooling  |
| Series                         | <a href="#">T3002</a>  |
| Comments                       | See Tooling Specification (PDF) Above  |
| Function                       | Insertion  |
| Geographic Area                | Global   |
| Level of Automation            | Manual   |
| More Detailed Tech Information | <a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>                           |
| Product Name                   | Impact™  |
| Survey                         | <a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a> |
| Tool Type                      | Handtool   |
| UPC                            | 884982686014   |

**Material Info**

**Reference - Drawing Numbers**

|                               |               |
|-------------------------------|---------------|
| Application Tooling Documents | ATS-622030360 |
|-------------------------------|---------------|



*image - Reference only*

**EU RoHS** **China RoHS**

**Compliance Status**

**Not Reviewed**

**REACH SVHC**

**Not Reviewed**

**Low-Halogen Status**

**Not Reviewed**

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[T3002Series](#)

**Use With**

[0638160200](#) Battery Powered Crimping Tool

**Application Tooling** | **FAQ**  
**Description** | **Product #**

|  |            |
|--|------------|
| Impact™ 100 Ohm<br>4 Pair Vertical<br>Orthogonal Header,<br>Unguided, Open<br>Endwall, 8 Columns,<br>96 Circuits, Pin<br>Length 5.50mm,<br>Plated Through Hole<br>Dimension 0.46mm,<br>Lead-Free | 0768451805 |
| Impact™ 100 Ohm<br>4 Pair Vertical<br>Orthogonal Header,<br>Unguided, Dual<br>Endwall, 8 Columns,<br>96 Circuits, Pin<br>Length 5.50mm,  | 0768451824 |

Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0768451825  
4 Pair Vertical  
Orthogonal Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0768451827  
4 Pair Vertical  
Orthogonal Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0768451828  
4 Pair Vertical  
Orthogonal Header,  
Unguided, Dual  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0768453805  
4 Pair Vertical  
Orthogonal Header,  
Left Guide, Right  
Open Endwall, 8  
Columns, 96 Circuits,  
Pin Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0768457804  
4 Pair Vertical  
Orthogonal Header,  
Left Guide, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0768457805  
4 Pair Vertical  
Orthogonal Header,  
Left Guide, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0768457808  
4 Pair Vertical

Orthogonal Header,  
Left Guide, Right  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0768459804  
4 Pair Vertical  
Orthogonal Header,  
Right Guide, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 4.90mm,  
Plated Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0768459808  
4 Pair Vertical  
Orthogonal Header,  
Right Guide, Left  
Endwall, 8 Columns,  
96 Circuits, Pin  
Length 5.50mm,  
Plated Through Hole  
Dimension 0.39mm,  
Lead-Free

This document was generated on 08/20/2012

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**